

*12/015/002*F A X C O V E R S H E E T  
-----DATE: February 17, 1993TO: HOLLAND SHEPHARDDIVISION OF OIL, GAS & MININGFAX NUMBER SENDING TO: 359-3940NUMBER OF PAGES INCLUDING COVER SHEET: 3FROM: HAROLD R. MARSTONFAX NUMBER SENDING FROM: (801) 637-0220

IF THERE ARE ANY PROBLEMS IN TRANSMISSION OR YOU DO NOT RECEIVE THE  
NUMBER OF PAGES INDICATED ABOVE, PLEASE CALL: (801) 637-8100

**EAST CARBON DEVELOPMENT CORPORATION**  
1111 W. Highway 123  
P.O. Box 69  
East Carbon, Utah 84520  
Telephone: (801) 888-4451  
Facsimile: (801) 888-5557



**ECDC**  
ENVIRONMENTAL

## FAX MESSAGE

**To:**

NAME

COMPANY

DATE

TIME

FAX NUMBER

**From:**

NAME

PHONE

**Reference:**

SUBJECT

**IF NOT RECEIVED PROPERLY,  
PLEASE NOTIFY SENDER IMMEDIATELY.**

**NUMBER OF PAGES  
(including cover sheet)**

MESSAGE



**WRR Industries, Inc.****Date:** February 17, 1993**To:** Hank Regulski**Company:** East Carbon Constructors Fax:888-2221**From:** Roger Holtan**Subject:** Drill Seeding and Hydromulching**Message:**

Hank,

Please find included with this fax our proposed methods for Drill Seeding and Hydromulching the BLM Trespass UTU-69310 and DOGM-Pagano Clay Project M/015/026.62

If you require any additional information, please feel free to call at your convenience.

Roger

If you do not receive all pages please call back  
Voice (801)355-2279 Watts (800)672-6025 Fax (801)530-3134

# of pages (including this cover sheet): 2



WRR Industries, Inc.

February 17, 1993

East Carbon Constructors  
Attn: Hank Regulski - Project Manager  
P.O. Box 880  
East Carbon, Utah 84520

Re: Drill Seeding and Hydromulching  
BLM Trespass UTU-69310 and  
DOGM-Pagano Clay Project M/015/026  
062

BLM UTU-69310

1. (A) Drill Seed 13 acres with BLM specified seed mix. Seed will be drilled to a depth of 1/2 inch and chain dragged to cover seed.
- (B) Hydromulch 13 acres with 3300 gallons Water, 60 lbs. M-Binder Tackifier, 200 lbs. 16-16-8 Fertilizer and 1000 lbs. Virgin Wood Fiber.  
The above will be mixed into a homogenous slurry and applied via a hydromulcher.  
WRR Industries, Inc. to furnish all labor, equipment and materials.

DOGM Pagano Clay Project M/015/026

1. (A) Drill Seed 17 acres with M/015/026 specified seed mix. Seed will be drilled to a depth of 1/2 inch and chain dragged to cover seed.
- (B) Hydromulch 17 acres with 3300 gallons Water, 60 lbs. M-Binder Tackifier, 200 lbs. 16-16-8 Fertilizer and 1000 lbs. Virgin Wood Fiber.  
The above will be mixed into a homogenous Slurry and applied via a Hydromulcher.  
WRR Industries, Inc. to furnish all labor, equipment and materials.



18018885557

Feb 17, 1993 11:56AM  
OIL & MININGFROM: BDC Environmental  
TEL: 801-359-3940TO: 13-03940  
Nov 17, 92 9:18 No.002 P.04

P.04

November 11, 1992  
Division of Oil, Gas and Mining

Seed Recommendation  
for  
Pagano Clay Project  
M/015/026  
062

Mine Area

Grasses

| <u>Common Name</u>   | <u>Scientific Name</u> | <u>lbs/Acre</u> |
|----------------------|------------------------|-----------------|
| Indian ricegrass     | Oryzopsis hymenoides   | 2               |
| Bluebunch wheatgrass | Agropyron spicatum     | 2               |
| Western wheatgrass   | Agropyron smithii      | 2               |

Forbs

|                       |                    |   |
|-----------------------|--------------------|---|
| Melilotus officinalis | Yellow Sweetclover | 1 |
|-----------------------|--------------------|---|

Trees and Shrubs

|                   |                        |   |
|-------------------|------------------------|---|
| Fourwing saltbush | Atriplex canescens     | 2 |
| Shadscale         | Atriplex confertifolia | 2 |

Total lbs/acre = 11

Seed Application

The above seeding rate has been developed for application by drill seeding. If broadcasting is to be used, the rate should be increased by 35%.

RECLAMATION PLAN

PAGANO CLAY SITE

M/015/026  
062

DRAFT

Dear Mr. Shephard:

In as much as the majority of earth work and contouring has been satisfactorily completed and approved by the Division, we hope that by addressing the following concerns we will have completed the requirements for the Reclamation Plan.

1. Please find attached WRR Industries' correspondence to Mr. Hank Regulski of ECC. This depicts how the reclamation seeding and mulching shall be performed by WRR Industries.

2. ECC and Pagano Estate agree to scarify any compacted soils before WRR Industries performs its seeding operation.

3. ECC and Pagano Estate agree to obliterate the road south of the pressure site and running to the Price River riparian area. *crusher*

4. ECC and Pagano Estate shall perform the planting of willows along the riverbank in the riparian area that has already been reclaimed.

5. WRR Industries shall perform the seeding on the State Lands and Forestry property in Section 36, Township 15 South, Range 11 East, SLB&M. The subject road through the property shall be narrowed to a right of way that does not exceed thirty-three (33) feet in width. Any other areas of that Section that were disturbed due to the stockpiling of gravel or overburden shall be similarly reclaimed.

6. Please refer to WRR Industries' report on Method of Reclamation to be performed on BLM Road Trespass UTU/69310.

We feel that this adequately addresses the concerns of DOGM, State Lands and Forestry, and the BLM. If you have any other concerns, we would like to promptly address them so that we can resolve this matter as soon as possible.

PAGANO ESTATE

EAST CARBON CONSTRUCTORS

By Harold R. Marston  
Personal Representative

By Hank Regulski  
Project Manager